

Magnetic Resonant Wireless Power Transfer with L-Shape Arranged Resonators for Laptop Computer

Jung Han Choi¹ · Seok Hyon Kang² · Chang Won Jung^{2,*}

Abstract

In this study, we designed, measured, and analyzed a rearranged L-shape magnetic resonance coupling wireless power transfer (MR-WPT) system for practical applications with laptops. The typical four resonator MR-WPT (Tx part: source loop and Tx coil; Rx part: Rx coil and load loop) is difficult to apply to small-sized stationary and mobile applications, such as laptop computers, tablet-PCs, and smartphones, owing to the large volume of the Rx part and the spatial restrictions of the Tx and Rx coils. Therefore, an L-shape structure, which is the orthogonal arrangement of the Tx and Rx parts, is proposed for indoor environment applications, such as at an L-shaped wall or desk. The relatively large Tx part and Rx coil can be installed in the wall and the desk, respectively, while the load loop is embedded in the small stationary or mobile devices. The transfer efficiency (TE) of the proposed system was measured according to the transfer distance (TD) and the misaligned locations of the load loop. In addition, we measured the TE in the active/non-active state and monitor-open/closed state of the laptop computer. The overall highest TE of the L-shape MR-WPT was 61.43% at 45 cm TD, and the TE decreased to 27.9% in the active and monitor-open state of the laptop computer. The conductive ground plane has a much higher impact on the performance when compared to the impact of the active/non-active states. We verified the characteristics and practical benefits of the proposed L-shape MR-WPT compared to the typical MR-WPT for applications to L-shaped corners.

Key Words: L-Shape, Laptop Applications, Magnetic Resonance, Transfer Efficiency, Wireless Power Transfer.

I. INTRODUCTION

Conventional indirect-fed magnetic resonant coupling wireless power transfer (MR-WPT) systems consist of four resonators in the following order: source loop, transmitter (Tx) coil, receiver (Rx) coil, and load loop [1]. Spiral-shaped coils (Tx and Rx) are located between the source and load loops for strong magnetic coupling. In indirect-fed MR-WPT systems, the Tx part consists of the source loop and the Tx coil, while the Rx part consists of the load loop and the Rx coil. Most user experiences indicate that in practical applications, it is difficult to

use strongly-coupled magnetic resonance wireless charging system [2, 3]. This is mainly because of the large volume of the Rx part and the spatial restrictions of the Tx and Rx coils. There is a limitation to the thickness of mobile devices, and hence, the distance between the load loop and Rx coil must be optimized for to the highest transfer efficiency. Further, if only the load loop is inserted in mobile devices, it would be inconvenient to carry the Rx coil and place it near the mobile device. This would need additional considerations, such as alignment of the Tx and Rx parts, the practical transfer distance (TD), the transfer efficiency (TE), and limited charging places.

Manuscript received February 14, 2017 ; Revised May 24, 2017 ; Accepted June 23, 2017. (ID No. 20170214-008J)

¹Fraunhofer Heinrich-Hertz Institute, Berlin, Germany

²Graduate School of Nano·IT·Design Fusion, Seoul National University of Science and Technology, Seoul, Korea.

*Corresponding Author: Chang Won Jung (e-mail: changwoj@seoultech.ac.kr)

This is an Open-Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (<http://creativecommons.org/licenses/by-nc/3.0>) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

© Copyright The Korean Institute of Electromagnetic Engineering and Science. All Rights Reserved.

In this work, we explore an L-shaped MR-WPT system for applications in “L” shaped corners, such as at a wall or a desk in an indoor environment. The Tx and Rx parts are orthogonal to each other, and hence the term “L-shape”.

The concept of the proposed structure is “easy application in many places”. Fig. 1(a) shows the L-shape MR-WPT. The typical MR-WPT consists of four resonators. The order of arrangement of the resonators in MR-WPT does not experimentally affect the TE [4, 5]. Therefore, the order of the arrangement of the load loop could be varied without TE changes in typical MR-WPT systems for practical applications. However, the rearranged Out-In MR-WPT shown in Fig. 1(b) has a spatial limitation for the Tx and Rx coils [5]. Electronic devices including a load loop must be placed between the Tx and Rx coils. Therefore, the system shown in Fig. 1(c) is proposed to solve this problem of the spatial limitation and to apply this system to L-shaped corners of the wall or at desks in an indoor environment. The proposed structure is basically modified from the Out-In MR-WPT as follows [5]: source loop - Tx coil - Load loop - Rx coil. In real applications, the large sized Tx part (Tx coil and source loop) and the Rx coil of the Rx part can be located in the wall and the desk, respectively, while the load loop of the Rx part is embedded in the stationary or mobile devices.

In measurement of the TE, three kinds of load loops according to the shape (circle and rectangle) and thickness (0.5 cm for wire and 1.0 cm for pipe) of the load loop for the performance comparison in practical laptop applications are tested. The TE is measured according to the TD, and it is also measured according to the misaligned location of the load loop on the Rx coil. In addition, for comparison of the practical performance according to the states of a laptop computer, we measured the

TE in the active/non-active states and monitor-opened/closed states of the laptop computer. It is noted that the active/non active states of the laptop computer mean power on/off.

Section II describes the design and the fabrication of the proposed system. Thorough experiments and in-depth analysis are conducted, for comparing TEs in various use cases as described in Section III. The conclusion of this work is made in Section IV.

II. DESIGN AND CONFIGURATION OF THE L-SHAPE MR-WPT

The proposed L-shape MR-WPT is modified from the Out-In MR-WPT [5]. Cross-coupling value between Tx coil and load loop was neglected for simplicity because the value is low [6]. Fig. 2 shows the structure and configuration of the proposed system. Distance A is TD, which is defined as the distance from centers of the Tx and Rx coils. Distance B is the height of the load loop from the Rx coil. Distance A is adjusted by two parameters. One is the height of the Tx part from the Rx coil, i.e., distance C, while the other is the distance between the Tx part and the Rx coil, i.e., distance D.

The source loop is excited by input power of 0 dBm. A magnetic field is generated around the source loop. Then, there is mutual inductance between the source loop and the Tx coil. Similarly, there is mutual inductance between the Tx and Rx coil as well. Finally, the power is transferred to the load loop by the mutual inductance between the Rx coil and the load loop.

The Rx coil and the load loop in the Rx part are vertical to the Tx part and parallel to the floor in the L-shape MR-WPT. The resonators, loops, and coils are fabricated using 1.0-cm-thick copper pipe. The source loop is a circular structure with a 40 cm diameter. The Tx and Rx coils are designed with the same-sized spiral coils. The outer circle is 60 cm, and the pipe is wound for 5 turns with a 1.5-cm pitch. A 6-pF capacitor is connected at the ends of coils to resonate at the operating frequency.




Fig. 1. Concept of the L-shape MR-WPT. (a) Typical MR-WPT, (b) Out-In MR-WPT, and (c) L-shape MR-WPT.




Fig. 2. Structure of L-shape MR-WPT.




Fig. 3. Load loops of Rx part. (a) Circular loop (CL), (b) rectangular pipe loop (RPL), and (c) rectangular wire loop (RWL).

As shown in Fig. 3, there are three load loops with dimension combinations of two thicknesses and two shapes in the L-shape MR-WPT. One load loop, which is the control group, is a circular loop (CL) made with 1.0-cm-thick pipe. The CL is designed as a full-size replica of the source loop. The Tx and Rx parts in MR-WPT with the CL are symmetrical configurations. The other two load loops are fabricated from 1.0-cm-thick copper pipe and 0.5-cm-thick copper wire, and are designed using the same sized rectangular loops as those of a laptop computer, i.e., 24.5 cm \times 39 cm. These load loops are referred to as rectangular pipe loop (RPL) and rectangular wire loop (RWL). The total length of the rectangular and circular loops is about 127 cm. With these two different shapes, we can determine the effect of the shape of the resonator on the magnetic coupling with the nearest one. Table 1 shows the simulated RLC values for each resonator. The equivalent circuit for the L-shape is usually expressed using RLC values. The equivalent circuit of L-shape MR-WPT is similar to that of Out-In MR-WPT [4, 5]. All loops and coils were connected with capacitors, resulting in the wanted resonance frequency of 6.96 MHz. The capacitance values in Table 2 were calculated to have the same resonance

Table 1. Simulated RLC values and Q -factor of coils and loops used in L-shape MR-WPT

Resonator	R (Ω)	L (nH)	C (pF)	Q -factor
Source loop, CL	0.07	955.33	576.8	89.59
RPL	0.05	804.79	684.7	112.04
RWL	0.08	955.00	577.0	86.33
Tx coil, Rx coil	0.33	55,103.71	10.0	1,134.19

Table 2. Capacitance values of coils and loops used in L-shape MR-WPT

Resonator	Simulated value (pF)	Experimental value (pF)
Source loop, CL	576.8	560.0
RPL	684.7	680.0
RWL	577.0	560.0
Tx coil, Rx coil	10.0	6.0

frequency after extracting the inductances of the coils using a three-dimensional full-wave electromagnetic wave simulator.

III. RESULTS OF MEASUREMENTS AND SIMULATION

1. Measurement and Simulation of the L-shape MR-WPT

In the measurements, we compared the TE of the L-shape MR-WPT with that of the Out-In MR-WPT at the same TD, i.e., distance A [5]. The effects of the thickness and shape of the load loop on the TE of the MR-WPT are investigated. The trends of the TE of the L-shape MR-WPT with three load loops with respect to the TD are analyzed using the simulation and measurement results. We also investigated the trends of the TE of the L-shape MR-WPT when the load loop is misaligned from the center position at the optimized height. In addition, we verified the TE change in the monitor opened/closed states and active/non-active states of a laptop computer.

In these experiments, the source loop, Tx coil, and Rx coil described in Section II were fixed resonators in the fabricated MR-WPT. There are two variables in the measurement of transmission of the scattering parameter (S_{21}) in Fig. 1(b). One is TD, i.e., distance A . The measurement was conducted at TD values of 45 cm, 55 cm, 65 cm, and 75 cm. To set up the four TDs mentioned above, we keep distance C constant when distance D is variable. The other variable is distance B .

The measurement was conducted at distance B values of 0 cm, 10 cm, and 20 cm. When the distance A is varied, the distance D is arbitrarily chosen. The distance between the source loop and the Tx coil was moved to match the impedance for the highest TE. The TE is calculated from the Eq. (1) using S_{21} measured by a vector network analyzer (VNA; Agilent E5071B). The equation for the relationship between TE (η) and S_{21} is given in Eq. (1) for the TE of the MR-WPT [6, 7].

$$\eta = \frac{P_{\text{output}}}{P_{\text{input}}} = \frac{V_{\text{load}}^2 / (R_{\text{load}} + R_{\text{output}})}{V_{\text{source}}^2 / \{4(R_{\text{source}} + R_{\text{input}})\}} = |S_{21}|^2 \quad (1)$$

The TE were calculated using the resistance (R) of the resonator, input impedance ($R_{\text{input}} = R_{\text{output}} = 50 \Omega$), and input voltage (V_{source}). By measuring the S_{21} using the VNA, one can calculate the TE for the MR-WPT.

As shown in Table 3, the highest TE of the system with the CL was 64.48% at distance A of 45 cm and distance B of 0 cm. In the case of the system with the RPL, the highest TE was 61.43%, as shown in Table 3. There was about a 3.05% difference between the system with the CL and the RPL in terms of the TE. In the case of the RWL, the TE was 61.39%, as shown in Table 3. The two TEs between the system with the RWL and the RPL were almost the same. The average resonant frequency was about 6.96 ± 0.002 MHz. The trend of TE at dis-

Table 3. Measurement results of TE of L-shape MR-WPT according to load loops (distance $C = 0$ cm)

MR-WPT (Load loop)	Distance B	Transfer distance (cm)			
		45 (%)	55 (%)	65 (%)	75 (%)
Typical MR-WPT	-	78.71	73.50	65.45	53.32
L-shape MR-WPT					
CL	0	64.48	49.21	30.47	14.80
	10	49.94	40.85	29.58	14.82
	20	26.24	19.48	13.50	6.71
RPL	0	61.43	49.10	32.86	16.04
	10	40.58	32.35	22.55	10.54
	20	17.03	13.00	8.835	4.08
RWL	0	61.39	47.70	32.11	15.71
	10	38.48	31.04	21.00	10.28
	20	17.00	12.29	7.41	3.41

tance C of 0 cm is shown in Fig. 4. With a decrease in distance A and distance B , the TE increases.

Quantitative comparisons of the TEs are carried out for the Out-In MR-WPT and the L-shape MR-WPT, as shown in Fig. 4. The two configurations are identical except for a right angle of the two parts. When the CL is the same size, i.e., 40 cm, the TEs for the *Out-In* and L-shape MR-WPTs were 78.41% and 64.48%, respectively [5]. This difference, 13.93%, is attributed to the decrease in magnetic coupling between the Tx and Rx coils [8, 9]. The shape and thickness of the load loop, such as the RPL or the RWL, do not affect the TE of the L-shape MR-WPT.

The TEs of the systems with three kinds of the load loops are plotted in Fig. 5. The system with the CL operates best at the




 Fig. 5. Measurement results of TE of L-shape MR-WPT (distance $B =$ distance $C = 0$ cm). (a) CL , (b) RPL , and (c) RWL .


Fig. 4. Simulation and measurement results of TE according to TD.

TDs of 45 to 55 cm. There was a slight difference among the three cases. It should be noted that the shape and the dimension of the load loop do not affect the TE dominantly.

$$Q = \frac{\omega L}{R} \quad (2)$$

The resistance of the bent part of the rectangular loop is relatively higher than any other parts [10]. This affects the Q -factor of RPL and RWL according to Eq. (2), but the decreasing Q -factor is not enough to decrease S_{21} .

2. Measurement and Simulation of the Practical Applications

During use, the laptop computer could be laid on a misaligned location from the center on the Rx coil. This can cause a decrease in the TE. Depending on the misaligned distance of the load loop on the Rx coil, the magnitude of magnetic coupling in the L-shape MR-WPT can be changed. Note that for the wireless charging product, the optimal locations for the load loop and the Rx coil should be designed such that the TE is the highest. To verify the TE for various locations that a stationary-type electronic device can be laid, the horizontal position on the plane of the Rx coil was divided into 25 square unit sections, as shown in Fig. 6(a). When the center of the RPL matched with the center of the arbitrary square unit section, the S_{21} was measured for the specific formation of the L-shape MR-WPT. Dis-




Fig. 6. TE changes by misalignment of load loop. (a) Measurement method and (b) 3D-distribution of TEs of L-shape MR-WPT.




Fig. 9. Photographs and TEs of L-shape MR-WPT in practical laptop applications. (a) Without laptop computer, (b) monitor closed and non-active, (c) monitor opened and non-active, and (d) monitor open and active.




Fig. 7. Simulation results of H-field distribution of L-shape MR-WPT according to phase differences of H-field. (a) 90° , (b) 180° , and (c) 270° .

tances A , B , C , and D were 65 cm, 10 cm, 0 cm, and 28 cm, respectively. In this case, the L-shaped MR-WPT operates at 6.98 ± 0.057 MHz. According to Fig. 6(b), the highest S_{21} was measured when the RPL was located at the center point of the Rx coil. The farther the RPL is from the center of the Rx coil, the lower the S_{21} of the L-shape MR-WPT. However, the S_{21} increases as the RPL get close to the junction area of Tx part. This phenomenon is clearly observable in Figs. 7 and 8. Fig. 7 shows the simulation results of the H-field distribution of the proposed system. The power is transferred wirelessly through the magnetic coupling at the junction part between the Tx and Rx coils according to the phase. This is because the intensity of the magnetic flux is populated at the area adjacent to the two Tx and Rx coils when the distance C approaches zero, as shown in Fig. 8. The magnitude of the magnetic field intensity at these

areas is inversely proportional to the height difference of the coils. Therefore, this trend was common under most conditions of the L-shape MR-WPT including other load loops.

In addition, there are typically two electrical grounds, namely the display panel in the monitor frame and the circuit board in main frame. The conductive ground planes affect the magnetic field and coupling coefficient according to the position of laptop computer. To verify the effect of the conductive ground plane on the TE, a laptop-sized RPL was attached to the bottom of the laptop. As shown in Fig. 9, distance C was 0 cm, and the laptop computer with the load loop was placed over 10 cm from the Rx coil. These experiments showed that electronics such as the display panel and electronic circuit board, prevent the magnetic coupling. The laptop computer with the conductive ground plane affects the magnetic coupling in the proposed system. When the laptop computer was opened, the TE decreased from 32.6% to 28.0%. In contrast, in the active/non-active state of the laptop, there is not much effect on the magnetic coupling of the L-shape MR-WPT. This result shows that the conductive ground plane has a greater impact on the electromagnetic performance than the active/non-active states.

IV. CONCLUSION

In this paper, we analyzed the proposed MR-WPT system with L-shape configurations for applications to the stationary or mobile devices. The electromagnetic field distributions and TEs of the proposed L-shape MR-WPT were simulated and measured. Results show that the TE of the L-shape MR-WPT is 64.48%, which is at least 13.93% lower than that of the *Out-In* MR-WPT because the mutual inductance is decreased due to the concentration of the magnetic resonant coupling at the junction between the Tx and Rx coils. The shape of the load loop does not affect the TEs of the MR-WPT. As distances A , B , C , and D increase, the TEs decrease. In addition, the active/non-active states of the laptop computer do not have much effect on the magnetic resonant coupling between the Tx and Rx parts. This result shows that the conductive ground plane




Fig. 8. Simulation results of the H-field distribution of L-shape MR-WPT. (a) H-field at phase 180° and (b) detailed H-field at junction.

has a much greater impact on the electromagnetic performance than the active/non-active states of the laptop computer. Although reconfiguration of the MR-WPT caused some performance degradation, the proposed system is highly applicable when considering indoor structures such as L-shaped corner, as compared to the typical and Out-In MR-WPT.

This work was supported by a National Research Foundation (NRF) of Korea Grant funded by the Korean government (No. 2016R1D1A1B02012957).

REFERENCES

- [1] A. Kurs, A. Karalis, R. Moffatt, J. D. Joannopoulos, P. Fisher, and M. Soljacic, "Wireless power transfer via strongly coupled magnetic resonances," *Science*, vol. 317, no. 5834, pp. 83–86, 2007.
- [2] H. Arai, "Wireless power transfer system," *Journal of the Korean Institute of Electromagnetic Engineering and Science*, vol. 11, no. 3, pp. 143–151, 2011.
- [3] G. Kim and B. Lee, "Alternative experimental for mutual inductance and coupling coefficient applied wireless power transfer," *Journal of the Korean Institute of Electromagnetic Engineering and Science*, vol. 16, no. 2, pp. 112–118, 2016.
- [4] S. H. Kang and C. W. Jung, "Analysis of WPT system using rearranged indirect-fed method for mobile applications," in *Proceedings of 2015 IEEE Wireless Power Transfer Conference (WPTC)*, Boulder, CO, 2015, pp. 1–4.
- [5] S. H. Kang and C. W. Jung, "Magnetic resonant wireless power transfer with rearranged configurations," *Journal of Electromagnetic Engineering and Science*, vol. 17, no. 2, pp. 76–85, 2017.
- [6] A. P. Sample, D. T. Meyer, and J. R. Smith, "Analysis, experimental results, and range adaptation of magnetically coupled resonators for wireless power transfer," *IEEE Transactions on Industrial Electronics*, vol. 58, no. 2, pp. 544–554, 2011.
- [7] R. Mongia, *RF and Microwave Coupled-Line Circuit*. Boston, MA: Artech House, 2007.
- [8] J. G. Hayes, N. O'Donovan, and M. G. O'Donnell, "Inductance characterization of high-leakage transformers," in *Proceedings of 18th Annual IEEE Applied Power Electronics Conference and Exposition (APEC'03)*, Miami Beach, FL, 2003, pp. 1150–1156.
- [9] J. Kim, H. Son, D. Kim, K. Kim, and Y. Park, "Efficiency of magnetic resonance WPT with two off-axis self-resonators," in *Proceedings of 2011 IEEE MTT-S International Microwave Workshop Series on Innovative Wireless Power Transmission: Technologies, Systems, and Applications (IMWS)*, Uji, Japan, 2011, pp. 127–130.
- [10] S. H. Lee and R. D. Lorenz, "Development and validation of a model for 95%-efficiency 220-W wireless power transfer over a 30-cm air gap," *IEEE Transactions on Industry Applications*, vol. 47, no. 6, pp. 2495–2504, 2011.


Jung Han Choi



received his B.S. and M.S. degrees in Electrical Engineering from the Sogang University, Seoul, Korea, in 1999 and 2001, respectively, and a Dr.-Ing. degree from the Technische Universität München, Munich, Germany in 2004. From 2001 to 2004, he was a research scientist in the Institute for High-Frequency Engineering at the Technische Universität München, Germany. During this time, he worked

on high-speed device modeling and circuit development for high-speed optical communications. From 2005 to 2011, he was with the Samsung Advanced Institute of Technology and the Samsung Digital Media & Communication Research Center, where he worked on RF bio sensors, nano device modeling, and circuit design for millimeter wave applications, including 60 GHz CMOS. In 2011, he joined the Fraunhofer Institute (Heinrich-Hertz Institute), Berlin, Germany. His current research interests include active/passive device design and their modeling, high-frequency circuit design, and metamaterials.

Seok Hyon Kang



received his B.S. and M.S. degrees in Optometry from Seoul National University of Science and Technology (SeoulTech), Seoul, Korea, in 2010 and 2014, respectively. He is currently working toward a Ph.D. degree in Electrical Engineering from Seoul National University of Science and Technology (SeoulTech), Seoul, Korea. His current research interest focuses on wireless power transfer.

Chang Won Jung



received his B.S. degree in Radio Science and Engineering from Kwangwoon University, Korea, in 1997, and his M.S. degree in Electrical Engineering from the University of Southern California, Los Angeles, USA, in 2001. He also obtained a Ph.D. in Electrical Engineering and Computer Science from the University of California, Irvine, U.S., in 2005. Since 2008, he has been a professor with the Graduate School of

Nano·IT·Design Fusion, Seoul National University of Science and Technology. From 1997 to 1999, he was a research engineer in the wireless communication department of LG Information and Telecommunication in Korea. From 2005 to 2008, he was a senior research engineer in the communication laboratory of Samsung Advanced Institute of Technology, Korea. He has published over 190 papers in refereed journals and conference proceedings, and more than 50 domestic and international patents. His research interests include antennas for MMB communication systems, multifunctional reconfigurable antennas, EMI/EMC, millimeter-wave applications, wireless power transfer for energy harvesting, transparent RF passive components etc.